

PT. SUMBER PELITA ENERGI

Power your home, brighten your life



PRODUCT CATALOGUE

www.spenergi.co.id

THE CONTENT

Conductor

02

LV & Power Cable

04

Overhead Conductor


07

Cable Tray & Ladder

10



CONDUCTOR






SQUARE COPPER BUSBAR



FULL ROUND COPPER BUSBAR




GROUNDING ROD



**Bare Copper Conductor Hard (BC-H)
Bare Copper Conductor (BC-1/2H)**

LOW VOLTAGE POWER CABLES



**NYYHY - 0.6/1 (1.2) kV**

(Cu/PVC/PVC-f Flexible Copper Conductor, PVC Insulated, PVC Outer Sheathed)

**NYMHY - 300/500 V**

(Cu/PVC/PVC-f Flexible Copper Conductor, PVC Insulated, PVC Outer Sheathed)

**NYFGbY - 0.6/1 (1.2) kV**

(Cu/PVC/SFA/PVC Copper Conductor, PVC Insulated, Galvanized Steel Flat Armor, PVC Sheathed)

**N2XY - 0.6/1 (1.2) kV**

(Cu/XLPE/PVC Copper Conductor, XLPE Insulated, PVC Sheathed)

**NYAF - 450/750 V**

(Cu/PVC-f Flexible Copper, PVC Sheathed)

**NYA - 450/750 V**

(Cu/PVC Copper Conductor, PVC Insulated)

**NYY - 0.6/1 (1.2) kV**

(Cu / PVC / PVC Copper Conductor, PVC Insulated,
PVC Sheathed)

**NYM - 300/500 V**

(Cu / PVC / PVC Copper Conductor, PVC Insulated,
PVC Sheathed)

OVERHEAD CONDUCTOR





NFA2X 0.6/1 (1.2) kV
(Aerial Bundled Conductor, Twisted Cable)



NFA2X 0.6/1 (1.2) kV
(Aerial Bundled Conductor, Twisted Cable)



NFA2X-T 0.6/1 (1.2) kV
(Aerial Bundled Conductor, Twisted Cable)



ACSR/AS
(Aluminium Conductor Aluminium Clad Steel Reinforced)



AAC

(All Aluminium Conductor)



AAAC

(All Aluminium Alloy Conductor)



AAAC/S


(All Aluminium Alloy Conductor with XLPE Insulated)




ACSR

(Aluminium Conductor Steel Reinforced)

CABLE TRAY & LADDER





Tray Type C

Hot Rolled Coil / SPHC 1,8mm - panjang 3000 mm
Hot Rolled Coil / SPHC 1,2mm - panjang 2400 mm



Flange Cover Tray



Elbow Tray

Hot Rolled Coil / SPHC 1,8mm - radius 30 cm
Hot Rolled Coil / SPHC 1,2mm - radius 30 cm



Reducer Tray


Hot Rolled Coil / SPHC 1,8mm - panjang 60 cm
Hot Rolled Coil / SPHC 1,2mm - panjang 60 cm

**IR Tray**

Hot Rolled Coil / SPHC 1,8mm - radius 30 cm
Hot Rolled Coil / SPHC 1,2mm - radius 30 cm

**OR Tray**


Hot Rolled Coil / SPHC 1,8mm - radius 30 cm
Hot Rolled Coil / SPHC 1,2mm - radius 30 cm

**Tee Tray**

Hot Rolled Coil / SPHC 1,8mm - radius 30 cm
Hot Rolled Coil / SPHC 1,2mm - radius 30 cm

**Cross Tray**

Hot Rolled Coil / SPHC 1,8mm - radius 30 cm
Hot Rolled Coil / SPHC 1,2mm - radius 30 cm



Tray Wiremesh

Low carbon steel wire diameter 5mm – panjang 3000 mm



Cover Tray Wiremesh

Hot Rolled Coil / SPHC 1,8mm – panjang 3000 mm



Duct Type C

Hot Rolled Coil / SPHC 1,8mm – panjang 3000 mm
Hot Rolled Coil / SPHC 1,2mm – panjang 2400 mm



Duct type U

Hot Rolled Coil / SPHC 1,8mm – panjang 3000 mm
Hot Rolled Coil / SPHC 1,2mm – panjang 2400 mm

**Kabel Ladder type W / SLW**

Hot Rolled Coil / SPHC 1,8mm - panjang 3000 mm
Hot Rolled Coil / SPHC 1,2mm - panjang 2400 mm

**Kabel Ladder type U / SLU**

Hot Rolled Coil / SPHC 1,8mm - panjang 3000 mm
Hot Rolled Coil / SPHC 1,2mm - panjang 2400 mm

**Cover Ladder**

Hot Rolled Coil / SPHC 1,8mm - panjang 3000 mm
Hot Rolled Coil / SPHC 1,2mm - panjang 2400 mm


**Elbow Ladder**

Hot Rolled Coil / SPHC 1,8mm - radius 30 cm
Hot Rolled Coil / SPHC 1,2mm - radius 30 cm



IR / OR Ladder

Hot Rolled Coil / SPHC 1,8mm – radius 30 cm
Hot Rolled Coil / SPHC 1,2mm – radius 30 cm



Tee Ladder

Hot Rolled Coil / SPHC 1,8mm – radius 30 cm
Hot Rolled Coil / SPHC 1,2mm – radius 30 cm



Cross Ladder

Hot Rolled Coil / SPHC 1,8mm – radius 30 cm
Hot Rolled Coil / SPHC 1,8mm – radius 30 cm



Reducer Ladder


Hot Rolled Coil / SPHC 1,8mm – panjang 60 cm
Hot Rolled Coil / SPHC 1,2mm – panjang 60 cm

**Jointing Tray type C**

Hot Rolled Coil / SPHC 1,8mm - panjang 20 cm
Hot Rolled Coil / SPHC 1,2mm - panjang 20 cm

**Jointing Tray type U**

Hot Rolled Coil / SPHC 1,8mm - panjang 20 cm
Hot Rolled Coil / SPHC 1,2mm - panjang 20 cm

**Cover Clamp**

Hot Rolled Coil / SPHC 1,8mm - lebar 5 cm
Hot Rolled Coil / SPHC 1,2mm - lebar 5 cm

**Hold Down Clamp**

Hot Rolled Coil / SPHC 1,8mm
Hot Rolled Coil / SPHC 1,2mm